



COMPOSITION

Vitamin A Palmitate)	10.000.000 UI
VitaminD3	2.500.000 UI
Vitamin E (acétate)	2,0 g
Vitamin K3 (bisulfite de sodium)	1,5 g
Vitamin C	30,0 g
Vitamin B1	1,2 g
Vitamin B2	3,2 g
Vitamin B6	1,2 g
Pantothenate de calcium	, 0
Nicotinamide	2,0 g
Vitamin B12	5,0 mg
Biotin	10,0 mg
Excipient q.s.p	100 g

PHARMACEUTICAL PROPERTIES

Like all multivitamin preparations, ATLAVIT makes it possible to fight against vitamin deficiencies and to improve production in the target species.

TARGET SPECIES

Poultry

INDICATIONS

State of deficiencies, correction of the levels of vitamins in the rations of the different target species during periods of reproduction, high production, stress or convalescence.

ADMINISTRATION AND DOSAGE

Orally in drinking water. Poultry: Basic dosage: 1 sachet of 100 g per 1000 liters of water for 3 to 5 days.

Reinforced dosage (in case of stress and recovery): 1 sachet of 100 g per 500 liters of water for 3 to 5 days.



CONTRAINDICATIONS AND INTERACTIONS

None

SIDE EFFECTS

None

PRECAUTIONS FOR USE

Carefully calculate the quantity of drinking water corresponding to the consumption of the day and incorporate the dose to be administered by successive dilutions, leave the water available to animals until completely ingested. Solutions must be prepared immediately.

WITHDRAWAL PERIOD

STORAGE CONDITIONS Keep the product in the original packaging, protect from light and at a temperature ≤ 25 ° C.

PHARMACEUTICAL FORM AND PRESENTATION

Bag of 100 g